	Application No.	Applicant(s)
Notice of Allowability	10/509,171	GRAY, CHRISTOPHER
	Examiner	Art Unit
	Christopher Verdier	3745
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. \boxtimes This communication is responsive to <u>Applicant's Amendment</u>	ent dated 11-28-05.	
2. X The allowed claim(s) is/are 10-12,14,16 and 17.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
·		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	E □ Nation of Informal E	Patent Application (DTO 152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	Patent Application (PTO-152)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da	te
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8 🏻 Examiner's Stateme	ent of Reasons for Allowance
	9. Other	Sit of Measons for Allowance

Art Unit: 3745

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John Musone, Attorney of Record, on February 10, 2006.

The application has been amended as follows:

In the Claims:

Claims 15 and 18-20 are canceled.

In the Drawings:

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: In order to avoid abandonment of the application, applicant must make these agreed upon drawing changes.

In figure 5, elements 4a and 4b may be provided with plural generally shaped apertures adjacent to each end wall near the gap 11.

Claim 15 has been canceled because it is directed to the embodiment of the rib having a lip-shaped cross section to engage confronting ends of the first and second impingement tube portion, which is excluded by the embodiment recited in claim 14 of the rib having a chevron-shaped cross section to engage the confronting ends of the first and second impingement tube portions with the confronting ends of the impingement tube portions being beveled in a complementary way to the chevron-shaped rib. Claims 18-20 have been canceled in order to place the application in condition for allowance, because these claims do not define over Japanese Patent 61-49,102 and European Patent 990,771. The above change to the drawings has been approved in order to show the apertures provided in or adjacent to each end wall as recited in claim 17.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (571) 272-4824. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

C.V. February 10, 2006

Christopher Verdier Primary Examiner Art Unit 3745